

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	12455	magnetic near4 shield	US- PGPUB ; USPAT ; USOCR
2	BRS	L2	331	1 with rotor	US- PGPUB ; USPAT ; USOCR
3	BRS	L3	251	2 and (cage\$4 ring bar)	US- PGPUB ; USPAT ; USOCR
4	BRS	L4	7428	(electromagnetic em) near4 shield	US- PGPUB ; USPAT ; USOCR
5	BRS	L5	6379	4 not 1	US- PGPUB ; USPAT ; USOCR
6	BRS	L6	57	5 with rotor	US- PGPUB ; USPAT ; USOCR

7	BRS	L7	42	6 and (cage\$4 ring bar)	US- PGPUB ; USPAT ; USOCR
8	BRS	L8	488	(electromagnetic magnetic em) near4 shield	EPO

	Time Stamp	Comments	Error Definition	Err ors
1	2005/06/18 11:06			
2	2005/06/18 11:07			
3	2005/06/18 11:07			
4	2005/06/18 11:19			
5	2005/06/18 11:06			
6	2005/06/18 11:20			
7	2005/06/18 11:29			
8	2005/06/18 11:28			

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	14	8 and rotor	EPO
10	BRS	L10	6194	(electromagnetic magnetic em) near4 shield	JPO
11	BRS	L11	128	10 and rotor	JPO
12	BRS	L12	23	11 and (cage\$4 ring bar)	JPO
13	BRS	L13	9562	(electromagnetic magnetic em) near4 shield	DERWE NT
14	BRS	L14	0	10 and rotor	DERWE NT
15	BRS	L15	174	13 and rotor	DERWE NT
16	BRS	L16	23	15 and (cage\$4 ring bar)	DERWE NT

	Time Stamp	Comments	Error Definition	Err ors
9	2005/06/18 11:28			
10	2005/06/18 11:40			
11	2005/06/18 11:40			
12	2005/06/18 11:40			
13	2005/06/18 11:40			
14	2005/06/18 11:40			
15	2005/06/18 11:40			
16	2005/06/18 11:41			